

AMGEN®

WORKER SAFETY HANDBOOK

“Work at the Speed of Safety”

BASIC SAFETY REQUIREMENTS

This Worker Safety Handbook is an overview of basic safety requirements for **CONFINED SPACES** contractors working on AMGEN sites. It is based on the AMGEN EHS Manual for Contractors.

The AMGEN EHS Manual for Contractors has been delivered to your company. It is your company's responsibility to ensure all the requirements contained in the manual are followed and to comply with all applicable laws and regulations.

This guide helps you, as a contractor's employee, to understand your responsibility and to perform your work at AMGEN following the requirements in the AMGEN EHS Manual for Contractors. This overview covers some of the most basic safety elements and is not intended, nor should it be construed as a summary of all those requirements.

The end goal is to provide a safe workplace and prevent injuries and property damage. All injuries are preventable. Work at the Speed of Safety.

Start every day safely:

- Identify the hazards...what could go wrong.
- Make sure you have a safety plan and the right controls in place to work safely.
- If you're not sure...Stop and Ask — Do the Right Thing.

PURPOSE

- This booklet is a quick guide for contractors working at Amgen. If you need more information than given in this Handbook, contact your supervisor

EMERGENCY RESPONSE

- In the event of any emergency, contact AMGEN SECURITY at:
() -
- Security will call the local emergency number and facilitate the response and escort emergency responders to the location of the emergency.
- When you call, provide as much information as possible including what happened and the location of the incident.
- Emergencies may include life-threatening and non-life-threatening medical emergencies, spills, fire, work-related injury, or illness.

INCIDENT REPORTING

- Report any incident to your supervisor no matter how minor, including near misses.
- An incident is anything that results in or could have resulted in an injury (even first aid) or property damage.

SMOKING

- AMGEN sites are 100% tobacco free, even in vehicles. Smoking or vaping is allowed only in the designated areas provided.

VEHICLE & PEDESTRIAN SAFETY / SPEED LIMIT

- Always yield to pedestrians and non-motorized cyclists.
- Obey all posted speed limit signs. Site wide speed limit is 10 mph (16 kph) if not posted.
- Private vehicles are not permitted on campus without specific permission from Amgen.

CELL PHONES

- Do not walk and text. If you need to look at your phone, stop walking.
- Do not talk on the phone while driving on Amgen property, even hands free. If you need to talk, pull over and stop the vehicle.

HOUSEKEEPING / SITE NEATNESS

- Maintain good housekeeping conditions while working on Amgen property.
- Do not place any waste in Amgen bins without approval from Amgen.
- Don't store any materials where they block doorways, utility panels, eyewash stations or other emergency equipment.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

- Follow site specific PPE requirements for the area and task being done. Example:
- Minimum PPE in a laboratory may include laboratory coats, shoe covers (booties), hair nets, latex gloves. Freezers may require insulated gloves and jacket.
- Minimum PPE for AMGEN construction sites: Safety Glasses, Hard Hat, Reflective Safety Vest or Brightly Colored Shirt (e.g. orange / lime), Work Boots with safety toe, Long Sleeve Shirts and Cut Resistant Gloves.
- Additional PPE may be required based on the task and tools used.
- Any reduction in PPE requires Amgen EHSS review and approval.

AMGEN EQUIPMENT

- Do not use Amgen owned equipment unless given specific permission in writing.

ENTRANCES AND EXITS

- Do not block any emergency exits or routes.

LOCK OUT / TAG OUT (LOTO)

- A LOTO PERMIT must be obtained prior to ANY work that requires de-energization

STOP WORK AUTHORITY

- If you recognize an unsafe condition, you can stop work and report it to your supervisor.
- If the scope of work changes, stop and report to your supervisor. Re-evaluate the risks and add new safe actions if needed.

GENERAL ELECTRICAL SAFETY

- Portable electric equipment and tools shall be powered through a Ground Fault Circuit Interrupter (GFCI) or a socket with integrated GFCI or RCBO. This applies to temporary lighting as well.
- Check extension cords and verify the ground pin is on the plug and there are no cuts on the outer cover.
- Only electricians are allowed to cut, remove, or otherwise alter wiring on circuits or equipment 50 volts or greater.

FALL PROTECTION / LADDERS

- Fall protection safety plan is required for any work at heights 6 feet (1.8 meters) or more above a lower level.
- Climbing an access ladder higher than 10 feet (3 meters) requires fall protection whether it has a protective cage or not.
- Working from a ladder at heights more than 10 feet (3 meters) requires fall protection and a working at height permit.
- Scissor lifts, aerial lifts, platforms, and scaffolds are the 1st choice for accessing work at height.
- If you must use a ladder, podium ladders are the 1st preference.
- Check if your site requires a ladder use permit or working at height permit and follow those requirements.

SAFETY UTILITY KNIVES

- Utility knives with self-retracting blades are preferred.
- Wear cut resistant gloves **plus** cut resistant sleeves with adequate cut level protection when using knives without a self-retracting feature. This applies to all cutting tools with exposed blades.
- Always use a sharp blade. They are safer than a dull blade.
- Hand a utility knife to a co-worker with the handle first.
- Consider using a rounded tip blade if the application allows for such.

TASK SPECIFIC SAFETY REQUIREMENTS

CONFINED SPACES

DEFINITION

- A Confined Space is:
 - Is large enough and so configured that a worker can bodily enter and perform assigned work – **and**
 - Has limited or restricted means for entry or exit – **and**
 - Is not designed for continuous human occupancy
- A Critical Confined Space is:
 - A Confined Space that has contained or has potential to contain flammable liquids or gases, gas that may displace oxygen or other hazardous material that have not been cleaned, flushed, or purged
 - Any hot work in a confined space
 - Any chemical use in a confined space
 - Or when pre-entry air monitoring for O₂, LEL, CO or H₂S exceeds limits stated in the CSE Permit or set by local jurisdiction
- Amgen EHSS MUST be notified before entering any Critical Confined Space.
- Critical Confined Space entries require the rescue team to be at the location.

GENERAL REQUIREMENTS

- Any confined space entry (CSE) at Amgen requires a CSE Permit unless specifically exempted by Amgen EHSS.
- Air-handling units, cooling towers, elevator pits and dock levelers required a CSE Permit unless reclassified by Amgen EHSS.
- Only Amgen EHSS can reclassify a confined space.
- Anyone entering a Confined Space must have training from their company relevant to their specific role(s).
- Contractor shall have all equipment necessary to perform the entry. This includes air monitors.
- Rescue equipment must be available for immediate use.
- Know the emergency signals.

ENTRY REQUIREMENTS

- Signs must be posted at the entrance(s) stating "Danger – Confined Space – Entry by Permit Only.
- Immediately report any deviations from the permit conditions or if anyone finds any unexpected hazards.
- Gas readings must be taken before entry and posted at the entrance.
- Keep a log at the entrance for workers to update as they enter or exit.
- An attendant shall be at the entrance any time there is someone in the Confined Space.
- The attendant shall have a way (phone, radio) to immediately contact emergency services if needed.